


Tightly woven phthalate-free vinyl warp and weft yarns Creates a water-proof and fire retardant barrier

Decorlux woven flooring can be used in a wide range of interior projects, adding both highend design and practical benefits. Explore how Rhino can be used to make your project stand out. Be inspired by how others have used our floorings to create commercial spaces to thrive in. When choosing Decorlux you get a high-end design flooring with all the practical benefits of woven vinyl. Beautiful, tactile and easy to clean and maintain. A perfect choice for any commercial project.






FY Series






EFY Series





FFY Series



Decorlux

FFY Series









FFY030 Ashly



Monica




Cocoa FFY056 Freesla




FFY003

FFY070



Dill FFY001 Danube



FFY112












Sahara




FFY140 Strcam



FFY001, 101




RFY Series






SFY Series





SFY016





SFY Series





Material Composition

- Upper Backing Creates a water-proof and fire retardant barrier.
- Weave Layer Tightly woven phthalate-free vinyl warp and weft yarns.
- Stability Layer Fiber glass layer for dimensional stability.
- Bottom Backing Contains recycled material.
- Acoustic Felt Backing (optional, not shown) Recycled felted backing layer can be added for additional sound absorption and comfort underfoot.

TECHNICAL INFORMATION		
Weight	ISO 8543	3.0 - 4.0 kg/m2
Thickness	ISO 1765	2.8 mm
Roll Dimension	EN 426	W 2m-L 15/20m
Tile Dimension	EN 994	50 x 50 cm
Reaction to Fire	EN 13501-1	Bfl-s1
Color Fastbess to Light	ISO 105-B02	Above 5
Slip Resistance	EN 13893	>0.3
Castor Chair Resistance	EN 425	No Effect
Thermal Resistance	ISO 8302	Suitable for underfloor hearing
Airborne sound absorption	EN ISO 354	0,05
Formaldehyde Release	EN 717-1	E1
Formaldehyde	ISO 14184-1:2011	Not Detected
Phthalates	EN 14372:2004	Passed
Migration of Certain Elements	EN 71-3	Passed
CE Certification	EN 14041	



Factory

Wuxi Decorlux Floor Co., Ltd. 2 Jishan Road, Jiangyin Wuxi 214445 China Info@Decorlux-Group.com www.Decorlux-Group.com

Headquarters

593 Tongjiang Road Century Jintian 828-830 Changzhou 213022 China

Phone +86 519 8988 3171 Fax +86 519 8988 3901

Important Note

Decorlux products are guaranteed against defective materials and manufacture and are sold subject to its standard terms and conditions of sale, copies of which may be obtained on request. Whilst Decorlux endeavours to ensure that any advice, recommendation, specification or information it may give is accurate and correct, it cannot, because it has no direct or continuous control over where or how its products are applied, accept any