



RHINO UC[®] MODULAR CARPET

Rhino UC[®] modular carpet tiles are designed to stay on the floor with no upcurl, tapping or rippling. Our square tiles are easier to handle, install and maintain. They install with just 3-4% waste and as little as 2% compared to an average 15% for traditional roll carpet. It has been widely used for commercial applications such as offices, banks, retail units, public buildings, schools and health care centers. Rhino is committed to delivering superior carpet tiles in terms of quality, durability and designs through our continuous innovation.

RHINO[®]
Strive for perfection!


UC-AA Colorline




UC-AB Colorline




UC-AA Colorline




AA01



AA02



AA03



AA04

Specifications


Style Name	UC-AA
Construction	Multi-level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	1/12
Stitches	10 per inch
Pile Weight	17 oz/yd ²
Pile Height	2.5mm - 5.5mm (+/-0.5mm)
Backing	PVC with Fiberglass
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial



Monolithic



Quarterturn



Ashlar

UC-AB Colorline



AB01



AB02



AB03



AB04

Specifications

Style Name	UC-AB
Construction	Multi-level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	1/12
Stitches	10 per inch
Pile Weight	17 oz/yd ²
Pile Height	2.5mm - 6.0mm (+/-0.5mm)
Backing	PVC with Fiberglass
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial



Monolithic



Quarterturn



Ashlar

UC-AC Colorline



UC-AD Colorline




UC-AC Colorline




AC01



AC02



AC03




AC04

Specifications


Style Name	UC-AC
Construction	Multi-level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	1/12
Stitches	10 per inch
Pile Weight	18 oz/yd ²
Pile Height	3.0mm - 5.5mm (+/-0.5mm)
Backing	PVC with Fiberglass
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial



Monolithic



Quarterturn



Ashlar

UC-AD Colorline



AD01



AD02



AD03




AD04

Specifications

Style Name	UC-AD
Construction	Multi-level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	1/12
Stitches	10 per inch
Pile Weight	17 oz/yd ²
Pile Height	2.5mm - 5.0mm (+/-0.5mm)
Backing	PVC with Fiberglass
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial



Monolithic



Quarterturn



Ashlar



UC-AE Colorline



AE01



AE02



AE03



AE04

Specifications


Style Name	UC-AE
Construction	Multi-level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	1/12
Stitches	10 per inch
Pile Weight	16 oz/yd ²
Pile Height	3.0mm - 5.0mm (+/-0.5mm)
Backing	PVC with Fiberglass
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial



Monolithic



Quarterturn



Ashlar

UC-AF Colorline



AF01



AF02



AF03



AF04

Specifications


Style Name	UC-AF
Construction	Multi-level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	1/12
Stitches	10 per inch
Pile Weight	19 oz/yd ²
Pile Height	3.0mm - 5.5mm (+/-0.5mm)
Backing	PVC with Fiberglass
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial



Monolithic



Quarterturn



Ashlar




UC-AG Colorline



AG01



AG02



AG03



AG04

Specifications


Style Name	UC-AG
Construction	Level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	1/10
Stitches	11 per inch
Pile Weight	16 oz/yd ²
Pile Height	3.5mm (+/-0.5mm)
Backing	Bitumen
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial



Monolithic



Quarterturn



Ashlar

UC-AH Colorline




AH01



AH02



AH03



AH04

Specifications


Style Name	UC-AH
Construction	Multi-level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	1/10
Stitches	11 per inch
Pile Weight	16 oz/yd ²
Pile Height	3.0mm - 5.0mm (+/-0.5mm)
Backing	PVC with Fiberglass
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial
Flammability	Passed (GB 8624-2012) B1
Static Control	Life-of-the carpet Static Protection



Monolithic



Quarterturn




Ashlar

UC-AI Colorline



UC-AI Colorline



AI01



AI02



AI03



AI04



AI05



AI06



AI07



AI08

Specifications


Style Name	UC-AI
Construction	Level Loop
Yarn	100% Unicolor
Color System	100% Solution Dyed
Gauge	5/64
Stitches	10 per inch
Pile Weight	15 oz/yd ²
Pile Height	4.0mm (+/-0.5mm)
Backing	PVC with Fiberglass
Tile Size	500mm x 500mm
Area of Use	Heavy Commercial



Monolithic



Quarterturn



Ashlar

RHINO[®]

Strive for perfection!

Corporate Headquarters

111 S.K.V. Building, 4th Floor
Soi Sansabai, Klongton
Klongtoey, Bangkok 10110
Thailand

T/ (662) 661 2990

F/ (662) 661 2991

China Office

593, Tongjiang Road
Jintian Plaza 828-830
Changzhou 213022
Jiangsu, China

T/ (86) 519 8988 3171

F/ (86) 519 8988 3901

Hong Kong Office

Unit 908, 9/F, LT Tower
31 Chong Yip Street
Kwun Tong, Kowloon
Hong Kong

T/ (852) 2865 6816

F/ (852) 2865 6813

Production Unit

Hengshanqiao
Wujin District
Changzhou 213119
Jiangsu, China

T/ (86) 519 8860 7959

F/ (86) 519 8860 5659

www.RhinoAccessFloors.com